



# Samsung SMART Doorlock

## Connected Doorlock **PUSH PULL** SERIES



### INNOVATIVE TECHNOLOGY

- Integrated with Bluetooth & Mobile App - sHome Doorlock
- Real-time notification via push message alert on door lock activity (in & out)
- Instant unlocking with registered hand phone via Bluetooth
- Viewing of door access event log in cloud anytime & anywhere



### EASY WAY TO OPEN DOOR

- Push & Pull door handle (Push to open and Pull to exit)
- Access by Fingerprint / RFID Card / Pin Code




### SMART FUNCTIONS

- Auto card detection
- User-friendly instruction display
- Instant silent mode for quiet entry / exit
- Auto wake up via IR Sensor (Motion Detection)



### ENHANCED SECURITY

- Automatic motion detection to alert suspicious movement by IR Sensor
- Safe and robust design which blocks forced entry



**sHome Doorlock**  
Mobile App for SHP-DP728/727

LATEST



### SHP-DP728

- Fingerprint (up to 100)
- RFID Card (up to 20)
- Integrated with Bluetooth
- Mobile App-sHome Doorlock
- Speedy optical sensor Verification time <1 sec



LATEST



### SHP-DP727

- RFID Card (up to 20)
- Integrated with Bluetooth
- Mobile App-sHome Doorlock



TOP SELLER



### SHS-P718

- Fingerprint (up to 100)
- RFID Card / (up to 30)
- Multi-password
- Mobile App-sHome Doorlock
- Reliable fingerprint recognition False rejection rate 0.01%




### SHS-P717

- RFID Card / (up to 30)
- Multi-password



All Push Pull lock models are available in silver & gold and connectable to wireless Smart Home

**2 Years Warranty & Life-time Technical Support by Authorised Distributor** (Warranty: 1<sup>st</sup> year full & 2<sup>nd</sup> year part)







# RIM Lock

Add-on

No removal of existing lock • Installation above existing lockset • Mount Surface Installation with bracket

## User-friendly Accessibility



Biometric Access System



User Access Code



RFID Card



Key Tag



Mechanical Override Keys

**LATEST**



PIN UP DESIGN AWARDS



### SHS-D600

- RFID Card (up to 20)
- Smart icon display
- Silent mode for quiet entry/exit
- Customizable musical melody for unlocking



## GATE Door Lock



### SHS-2621

- RFID Card (up to 20)
- Gate lock with remote controller
- User-friendly interfaces



## GLASS Door Lock



### SHS-G510

- RFID Card (up to 20)
- Remote controller integrable
- Chime bell melody for door open
- Simple and switchable installation



Striker for double leaf door

Back Body



### SHS-2320 Double Claw Bolt

- RFID Card (up to 20)
- Applicable for swing/sliding door
- User-friendly interfaces



### SHS-1321

- RFID Card (up to 20)
- Budget RIM Lock

**Convenience** • Anti-panic Opening System • **Emergency Battery Terminal** • Low Battery Warning & Indicator • **Selectable Auto & Manual Locking Mode**  
**Security** • Admin PIN Code Verification • Double Locking • Electrostatic Discharge Prevention • **Fire Detection Sensor** • Invasion Detection Alarm  
 Mischief Prevention • **One-touch Anti-theft Setup** • Random Security Code • **Selectable Single/Double Verification**

Specifications	Deadbolt (w/o handle with 2 Keys)			RIM (w/o handle and key)			
	LATEST SHP-DS510	SHS-3320	SHS-G510	LATEST SHS-D600	SHS-2621	SHS-3320	SHS-1321
Max User Memory	1 Master (PIN) 100 Users (PIN/Card)	1 Master (PIN) 70 Users (PIN/Card)	1 User (PIN) 20 Cards	1 User (PIN) 20 Cards	1 User (PIN) 20 Cards	1 User (PIN) 20 Cards	1 User (PIN) 20 Cards
Access Mode	PIN/Card Bypass Key(2)	PIN/Card Bypass Key(2)	PIN/Card	PIN/Card	PIN/Card	PIN/Card	PIN/Card
Pin Number Combination	4 -12 digits	4 -12 digits	4 -12 digits	4 -12 digits	4 -12 digits	4 -12 digits	4 -12 digits
User-friendly Interface	No	No	No	Yes	Yes	Yes	No
Double Verification	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card
Auto Card Detection	No	No	No	Yes	No	No	No
Intrusion Prevention	No	No	No	No	Yes	Yes	No
Out-body Dimension (WxHxD) mm	69 * 160 * 36	68 * 180 * 36.5	78 * 173.4 * 18.1	69 * 175 * 21	66 * 170 * 22	65.2 * 170.5 * 22.5	69 * 175 * 22
In-body Dimension (WxHxD) mm	70 * 164 * 39	68 * 180 * 38.3	72.7 * 171.1 * 45.3	163 * 91 * 43	181 * 92 * 48	182 * 90 * 40.7	181 * 92 * 48
Applicable Door Thickness (mm)	35 - 55	35 - 55	9 - 13	35 - 50	35 - 50	35 - 50	40 - 50



### SHT-3006

(Available in white & black)

- 6" Colour Digital LCD Display
- Communication between main & sub monitors
- Access control (porch & main entrance)
- Expandable up to 4 monitors & 2 door cameras



### SHT-3305

(Available in white & black)

- 4.3" Colour Digital LCD Display
- Communication between main & sub monitors
- Release button for house door & gate
- Expandable up to 3 monitors & 2 door cameras

LATEST



### SHT-3605

(Available in white & black)

- 4.3" Colour Digital LCD Display
- Slim & wall mounting type (25mm)
- Hands-free door answering & monitoring
- Expandable up to 1 monitor & 2 door cameras
- Wireless door release to all Samsung locks with handle

TOP  
SELLER



### SHT-7017

- 7" Colour Digital LCD Touch Screen Display
- Slim & wall mounting type (22mm)
- Door answering & monitoring
- Intercommunication (visitors, guard office, households)
- Sensor connection (burgler, fire, gas, leakage, etc.)



### SHT-7327

(with Visitor Image Recorder)

- 7" Colour Digital LCD Touch Screen Display
- Emergency button to call guard office
- Communication between main & sub monitors
- Intercommunication (visitors, guards office households)
- Expandable up to 5 monitors & 1 door camera

LATEST



### SNH-8337

(with Visitor Image Recorder)

- 7" Color TFT LCD Screen
- Slim & Minimal Flush Mounting
- Animation Flash Display
- Intercommunication (visitors, guards office households)
- Expandable up to 5 monitors & 1 door camera

Visitor Call Panel  
with Card Reader



SHT-518



SHT-5280

Door Camera  
Options



SHT-CN512

Indoor Use  
Flush Mount



SHT-CN610

Indoor & Outdoor Use  
Surface Mount



SHT-CP611

Indoor & Outdoor Use  
Flush Mount



SHT-CP610

Indoor Use  
Surface Mount



SHT-CN810

Indoor Use  
Flush Mount

Specifications	Video Intercom for Project (Condo/Apt)			Video Intercom (Individual Household System)		
	SHT-3006	SHT-3305	LATEST SHT-3605PM	SHT-7017	SHT-7327	LATEST SHT-8337
Screen Size	6"	4.3"	4.3"	7"	7" (Touch Screen)	8"
Connectable						
Sub Monitor (Phone)	3(1)	2	0	(1)	4(2)	(6)
Visit Call Panel/ Door Camera	Door Camera (Max.2)	Door Camera (Max.2)	Door Camera (Max.2)	SHT-5181 (Max.400) Door Camera x 1	SHT-5181 (Max.400) Door Camera x 1	SHT-5181 (Max.400) Door Camera x 1
Door Camera	2	2	2	1	1	1
Access Control	2	2	2	2	2	2
Sensor Input	No	No	No	3	3	3
Guard Phone	NA	NA	NA	Yes	Yes	Yes
Main Cabling	4 Cores	4 Cores	4 Cores	CAT6, Coaxial	CAT6, Coaxial	CAT6, Coaxial
Hands Free	No	Yes	Yes	Yes	Yes	Yes
Image Capture	No	Yes (Optional)	No	No	Yes	Yes
Power Input (V)	AC 110 - 220V	AC 110 - 220V	AC 110 - 220V	DC 17-24V	DC 17-24V	DC 17-24V
Max Power Consumption (W)	10	18	7.5	15	30	30
Weight (Kg)	0.86	0.70	0.60	0.67	0.95	1.05
Dimension (WxHxD)mm	278 x 130x37	200 x 130x35	172x246x 25	258x 145 x21.5	280x 185x 28.5	300 x 185x28.5

For any enquiries, please contact :

PT. Professtama Teknik Cemerlang : Kompleks Golden Ville Blok 88 DI, Jl. Daan Mogot Dua, Kepa Duri, Jakarta 11510 - Indonesia

Telp. +62-21-5671935 (hunting), +62-21-5641142 (direct) | Fax. 021-5671938 | Cell/SMS/Whatsapp : 08551577675

E-mail : info@professtama.com | website : www.professtama.com