


# MORTISE Mechanical Override Key Lock



## World's 1st PUSH PULL Lock



3 Major Design Awards  
14 Patents Pending (PUSH-PULL)

**LATEST**

**SHS-P717**  
RFID Card/PIN (up to 30)



HandPhone RFID Sticker



Front


Back

Front


**SHS-P718**

- Fingerprint (up to 100)
- Multi-password
- RFID Card/PIN (up to 30)
- Speedy Optical Sensor Verification Time < 1 sec
- Reliable Fingerprint Recognition False Rejection Rate 0.01%

Model: SHS-P718LMK/EN



Model: SHS-P718XMK/EN



- Ideal for new/main door
- Replacement of old/faulty lock
- Single/double deadbolt mortise



**SHS-H625 (SHS-5120)**

- RFID Card (up to 20)
- Elegant & sleek styling
- Auto card detection



**Innovative Technology**



**Smart Functions**



**Easy Way to Open Door**



**Enhanced Security**

Samsung  
**SMART**  
Doorlock

- Motion wake-up via IR sensor
- Auto card detection
- Safe and robust design (blocks forced entry)
- Silent mode for quiet entry/exit
- User-friendly instruction display
- Interface with Smart Home (Mortise models only)



**SHS-H505 (SHS-5050)**

- RFID Card/PIN (up to 20)
- Sleek styling
- Widely used in condo/apartment projects



**SHS-H635 (SHS-6020)**

- RFID Card (up to 20)
- Modern styling
- Auto card detection



Silver



Black



Gold

**SHS-H705 (SHS-5230)**

- Fingerprint (up to 100)
- 1 Master & 10 PIN Codes
- Automatic fingerprint sliding cover
- Fast and accurate fingerprint recognition

- Convenience** • Anti-panic Opening System • Emergency Battery Terminal • Low Battery Indicator • Selectable Auto & Manual Locking Mode
- Security** • Admin PIN Code Verification • Double Locking • Electrostatic Discharge Prevention • Fire Detection Sensor • Invasion Detection Alarm • Mischief Prevention • One-touch Anti-theft Setup • Random Security Code • Selectable Single/Double Verification

**2 Years Warranty & Life-time Technical Support by Authorised Distributor**



Korean Best Brand Award



US IDEA Design



Safety Standard Mark Acquired



reddot design award



iF Product Design Award



Good Design Mark




PIN UP DESIGN AWARDS



TUV SUD PSB Fire Safety Tested

# DEADBOLT Add-On Lock



# Samsung SMART Doorlock



Back

Front

## SHS-3320

- Digital Deadbolt with 2 Override Keys
- RFID Card/PIN (up to 70)
- Adjustable Magnetic Sensor



## SHS-3420

- RFID Card/PIN (up to 70)
- Sleek & Smart Styling
- Built-in Magnetic Sensor



## Enhanced Features for New Models

Auto Card Detection

Multi-password

Intrusion Prevention/Infrared Sensor

Add/Delete User Password & RFID Card Individually

- No removal of existing lock
- Installation above existing lockset
- Ideal for door with long pull bar

# RIM Add-On Lock




Striker for double leaf door      Back Body



GLASS DOOR Lock

## SHS-G517 (SHS-G510)

- Glass Door Lock**
- RFID Card/PIN (up to 70)
  - Remote Controller Integratable
  - Chime Bell Melody for Door Open
  - Simple and Switchable Installation



## SHS-2320


### Double Claw Bolt

- RFID Card (up to 20)
- Applicable for Swing/Sliding Door
- User-friendly Interfaces



## SHS-1321

- RFID Card (up to 20)
- Budget Rim Lock



Specifications	Mortise Type (with handle & keys)						Deadbolt & Rim Type (w/o handle & keys except SHS-3320)				
	SHS-P718	SHS-P717	SHS-H705/ SHS-5230	SHS-H635/ SHS-6020	SHS-H505/ SHS-5050	SHS-H625/ SHS-5120	SHS-3320	SHS-3420	SHS-G517/ SHS-G510	SHS-2320	SHS-1321
Max User Memory	1 Master (PIN) 30 Users (PIN/Card) 100 Fingerprints	1 Master (PIN) 30 Users (PIN/Card)	1 Master (PIN) 10 Users (PIN) 100 Fingerprints	1 User (PIN) 20 Cards	1 Master (PIN) 30 Users (PIN/Card)	1 User (PIN) 20 Cards	1 Master (PIN) 70 Users (PIN/Card)	1 Master (PIN) 70 Users (PIN/Card)	1 Master (PIN) 70 Users (PIN/Card)	1 User (PIN) 20 Cards	1 User (PIN) 20 Cards
Access Mode	PIN/Card Fingerprint Bypass Key	PIN/Card Bypass key	PIN/Fingerprint Bypass Key	PIN/Card Bypass key	PIN/Card Bypass key	PIN/Card Bypass key	PIN/Card Bypass key	PIN/Card	PIN/Card	PIN/Card	PIN/Card
PIN Number Combination	4 - 12 digits	4 - 12 digits	4 - 12 digits	4-12 digits	4-12 digits	4 - 12 digits	4 - 12 digits	4 - 12 digits	4 - 12 digits	4 - 12 digits	4 - 12 digits
User-friendly Interface	Yes	Yes	No	No	No	No	No	No	No	Yes	No
Double Verification	PIN + Fingerprint	PIN + Card	PIN + Fingerprint	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card	PIN + Card
Auto Card Detection	Yes	Yes	No	Yes	No	Yes	No	No	Yes	No	No
Intrusion Prevention	Yes	Yes	No	No	No	No	No	No	No	Yes	No
Outbody Dimension (W x H x D)mm	85 * 387 * 61	85 * 346.5 * 61	81.3 * 318 * 75	81 * 306 * 64	81 * 302 * 66	82 * 299 * 66.5	68 * 180 * 36.5	69 * 175 * 22	78 * 173.4 * 18.1	65.2 * 170.5 * 22.5	69 * 175 * 22
Inbody Dimension (W x H x D)mm	86 * 354.8 * 63	86 * 354.8 * 63	79 * 290 * 80	79 * 290 * 80	79 * 290 * 80	79 * 290 * 80	68 * 180 * 38.3	90 * 164 * 46	72.7 * 171.1 * 45.3	182 * 90 * 40.7	181 * 92 * 48
Applicable Door Thickness(mm)	38-80	38-80	40 - 80	40-80	40-80	40-80	35 - 55	35 - 50	9-13	40-50	40-50

**LATEST**



### SHT-3605

available in White & Black

- 4.3" Colour Digital LCD Display
- Slim & wall mounting type (25mm)
- Hands-free door answering & monitoring
- Wireless door release to all Samsung locks with handle
- Communication between main & sub monitors
- Expandable up to 3 monitors & 2 door cameras



### SHT-3006/SHT-3007

available in White & Black

- 6" Colour Digital LCD Display
- Communication between main & sub monitors
- Access control (porch & main entrance)
- Interlinking with security detectors



### SHT-3305

available in White & Black

- 4.3" Colour Digital LCD Display
- Communication between main & sub monitors
- Release button for house door & gate
- Expandable up to 4 monitors & 3 cameras

**LATEST**



### SHT-7017

- 7" Colour Digital LCD Touch Screen Display
- Slim & wall mounting type (22mm)
- Door answering & monitoring
- Intercommunication (visitors, guard office, households)
- Sensor connection (burglar, fire, gas leakage, etc.)



### SHT-7507

with Visitor Image Recorder

- 7" Colour Digital LCD Display with touch buttons
- Intercommunication (visitors, guard office, households)
- Sensor connection (burglar, fire, gas leakage, etc.)



### SHT-7327

with Visitor Image Recorder

- 7" Colour Digital LCD Touch Screen Display
- Emergency button to call guard office
- View text message • Elevator call function
- Intercommunication (visitors, guard office, households)



### SHT-3507

- 7" Colour Digital LCD Display
- Metallic-brushed fascia & crystal frame
- Communication between main & sub monitors
- Sensor connection (burglar, fire, gas leakage, etc.)

## Door Camera Options



**SHT-CN610**  
Indoor & Outdoor Use  
Surface Mount



**SHT-CP611**  
Indoor & Outdoor Use  
Flush Mount



**SHT-CN510**  
Indoor Use  
Flush Mount



**SHT-CP610**  
Indoor Use  
Surface Mount

## Visitor Call Panel with Card Reader



**SHT-5181**



**SHT-5081**

Specifications	Video Intercom for Project (Condo/Apt)					Video Intercom (Individual Household System)			
	SHT-7507	SHT-7327	<b>LATEST</b> SHT-7017	SHT-3507DM	SHT-3007DM	<b>LATEST</b> SHT-3605PM	SHT-3305	SHT-3207	SHT-3006/3007
Screen Size	7"	7" (Touch Screen)	7"	7"	6"	4.3"	4.3"	7"	6"
Connectable									
Sub Monitor (Phone)	2	4(2)	(1)	(1)	3(1)	2	2	(1)	3
Visitor Call Panel	SHT-5181 (Max.400)	SHT-5181 (Max.400)	SHT-5181 (Max.400)	SHT-5081 (Max.400)	SHT-5081 (Max.6)	SHT-5082/4/8 (Max.2)	SHT-5082/4/8 (Max.2)	SHT-5082/4/8 (Max.2)	SHT-5082/4/8 (Max.2)
Door Camera	1	1	1	1	1	2	2	2	2
Access Control	2	2	2	2	2	2	2	2	2
Sensor Input	3	3	3	2	No	No	No	No	1
Guard Phone	Yes	Yes	Yes	Yes	Yes	N.A.	N.A.	N.A.	N.A.
Main Cabling	CAT6, Coaxial	CAT6, Coaxial	CAT6, Coaxial	CAT6, Coaxial	CAT6	4 cores	4 cores	4 cores	4 cores
Hands Free	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No
Image Capture	No	Yes	No	No	No	No	Yes (Optional)	No	No
Power Input (V)	DC 12 ~ 24V	DC 17 ~ 24V	DC 17 ~ 24V	DC 17 ~ 24V	DC 17 ~ 24V	AC 110 ~ 220V	AC 110 ~ 220V	AC 110 ~ 220V	AC 110 ~ 220V
Max Power Consumption (W)	15	30	15	30	10	7.5	18	10	10
Weight (Kg)	1.8	0.95	0.67	1.05	0.86	0.60	0.70	0.90	0.86
Dimension (WxHxD)mm	383 x 192 x 29.5	280 x 185 x 28.5	258 x 145 x 21.5	300 x 185 x 28.5	278 x 130 x 37	172 x 246 x 25	200 x 130 x 35	270 x 165 x 33	278 x 130 x 37

# All-In-One

system for condominium/apartment



## SHN-8610 Wall Pad

- 10.1" Color TFT LCD Screen
- Slim & Minimal Flush Mounting
- Animation Flash Display
- Save and View Visitor's Image
- Use as Photo Album



Home Configuration System

### CONTROL

- Central Controlling unit for household appliances (Lightning, Gas Value, Air-Con, etc)
- Multi-functional (checking of utility usage, CCTV, parking management, etc)

### SECURITY

- Access control for house door and common doors
- Magnetic sensor for doors & windows
- Security detector for Intrusion, Fire and Gas Leakage



### COMMUNICATION

- Intercom for direct communication with guard house and visitors (Subphone and Door Camera)
- Intercommunication with other stations inside the house (Kitchen TV, Bathroom)



#### SHT-CN610

- Outdoor Camera
- 1/3" Color Board CCD
- Built-in IR for night vision

#### SNV-5080

Network Dome Camera

- 16:9 HD (720p) resolution support
- Multiple Streaming (up to 10 profiles)
- Intelligent Video Analytics
- Detection by Scene Change, Virtual Line, Enter/Exit, Appear/Disappear



#### SRN-4000

Network Video Recorder

- Supports up to 64 cameras
- 400 Mbps Network Camera Recording
- Search and playback images remotely using iPOLiS mobile



IP CCTV



#### SHT-5181XL

Visitor Call Panel

- IR sensor for night vision
- Signalling to CCTV for activation
- Applicable for Apartment up to 1200 units
- Camera angle manual adjustment (15 degrees)
- 3.5" Colour LCD Screen with instruction and status display
- Tenant Access Modes (up to 4000 Cards & 3000 Passwords)
- Motion Detection to activate LCD Screen & Keypad (selectable)

#### SHN-587

Guard Phone

- 7" TFT LCD with touch screen display
- Alarm for household for fire, gas, burglar and emergency
- Intercommunication between household, lobby and guard house



Integration



Smartphone, Tablet & Digital Door Lock

Remote Network



Back Bone

**LOCAL / VMS / PLATFORM SERVER**

**SYSTEM SERVER**

- Remote Utility Metering
- Parking System
- Mail/Parcel Notification



**PUBLIC FACILITY**



Workgroup Switch

Compound Network (MDF & IDF)

**Modern Living Automated with Style & Convenience**

■ For any enquiries, please contact :